

PIX-X'CEED®

STANDARDS: INDUSTRIAL BELTS



Section	Belt Thickness (mm)	Rib Pitch (mm)	Recommended Min Pulley Diameter (mm)	Manufacturing Range	
				Effective Length	
				Min (mm)	Max (mm)
PH	2.9	1.60	13	280	5080
PJ	3.8	2.34	20	280	5080
PK	4.5	3.56	50	280	5080
PL	7.6	4.70	75	280	5080
PM	13.3	9.40	180	280	5080